

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(dual\$1mode multi\$1mode multi\$1function) near2 ((transceiver terminal unit telephone phone unit device) or((cell cellular subscriber user wireless) adj2 (unit terminal device apparatus phone telephone))) same (reformat\$3 prefix\$3 suffix\$3 modify\$4 translate\$3 convert\$3) same (dial\$3 adj2 (number or digits))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:50
L2	11	(dual\$1mode multi\$1mode multi\$1function) near2 ((transceiver terminal unit telephone phone unit device) or ((cell cellular subscriber user wireless) adj2 (unit terminal device apparatus phone telephone))) same (reformat\$3 prefix\$3 suffix\$3 modify\$4 translate\$3 convert\$3) same (dial\$3 adj2 (number or digits))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 10:57
L3	19	("4748655"   "4980907"   "5090051"   "5210785"   "5260988"   "5309502"   "5367558"   "5463674"   "5673308"   "5675629"   "5745851"   "5745852"   "5826191").PN. OR ("6044267"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:53
L4	70	(dual\$1mode multi\$1mode multi\$1function) near2 ((transceiver terminal unit telephone phone unit device) or ((cell cellular subscriber user wireless) adj2 (unit terminal device apparatus phone telephone))) and (reformat\$3 prefix\$3 suffix\$3 modify\$4 translate\$3 convert\$3) same (dial\$3 adj2 (number or digits))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:02
L5	40	(REFORMAT\$3 MODIFY\$3 TRANSLAT\$3) SAME DIAL\$3 NEAR (NUMBER DIGIT) SAME (DIAL\$3 NEAR (PLAN PROGRAM METHOD CONFIGURATION)) and rules	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:03
L6	182	((REFORMATING REFORMAT MODIFY\$4 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS)) same (dialing adj2 (rules or plan))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:09

L7	31	6 and (WAN AND LAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:11
L8	151	6 not 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:26
L9	56	(reformat\$3 modicat\$7 translat\$3 conver\$4) near (dial\$3 adj2 (number or digits)) near (rules preferences instructions table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:30
L10	0	10/714077	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:28
L11	99371	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:29
L12	6	9 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:29
L13	28	((reformat\$3 modicat\$7 translat\$3 conver\$4) near (rules preferences)) same ((dial\$3 input) near (number digits))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:37
L14	28	((reformat\$3 modicat\$7 translat\$3 conver\$4 prefix\$3 adding adj digits) near (rules preferences)) same ((dial\$3 input) near (number digits))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:38

L15	410	455/564.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:39
L16	12	reformat\$3 near (rules preferences)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:40
L17	15776	(reformat\$3 modifi\$7 conver\$4) same (rules preferences) same numbers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:42
L18	15776	(reformat\$3 modifi\$7 conver\$4) same (rules preferences) same numbers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:42
L19	6	15 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:44
L20	1328	455/414.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:44
L21	14	18 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:44
S17	28629	((FIRST AND SECOND) ADJ (NETWORK OR SYSTEM)) (((WAN OR (WIDE ADJ2 NETWORK)) AND (WLAN OR (WIRELESS ADJ2 LOCAL ADJ2 AREA ADJ2 NETWORK))) (((PUBLIC CELLULAR) ADJ (NETWORK OR CARRIER)) AND ((PRIVATE CORPORATE ENTERPRISE COMPANY) ADJ2 NETWORK)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:11

S18	3804	S17 AND (TRANSCIEVER OR ((FIRST AND SECOND) ADJ (TRANSCIEVER OR TRANSMITTER)) OR TWO ADJ (TRANSCIEVER TRANSMITTER))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:40
S19	1	S18 AND ((DIAL\$3 NEAR2 (PLAN CONFIGURATION SCHEME PROGRAM METHOD)) SAME ((RE\$1FORMAT\$3 FORMAT\$3 MODIFY\$3 CONVER\$4) NEAR2 NUMBER) SAME (CALL DIAL\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:44
S20	3	S18 AND ((DIAL\$3 NEAR2 (PLAN CONFIGURATION SCHEME PROGRAM METHOD)) SAME ((RE\$1FORMAT\$3 FORMAT\$3 MODIFY\$3 CONVER\$4) NEAR6 NUMBER) SAME (CALL DIAL\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:45
S21	5	S18 AND ((DIAL\$3 NEAR6 (PLAN CONFIGURATION SCHEME PROGRAM METHOD)) SAME ((RE\$1FORMAT\$3 FORMAT\$3 MODIFY\$3 CONVER\$4) NEAR6 NUMBER) SAME (CALL DIAL\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:48
S22	14	(REFORMAT\$3 MODIFY\$3) SAME DIAL\$3 NEAR6 NUMBER SAME (DIAL\$3) NEAR (PLAN PROGRAM METHOD CONFIGURATION)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:01
S23	100	(REFORMAT\$3 MODIFY\$3 TRANSLAT\$3) SAME DIAL\$3 NEAR (NUMBER DIGIT) SAME (DIAL\$3 NEAR (PLAN PROGRAM METHOD CONFIGURATION))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:02
S24	36	S17 AND S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:02
S25	21499	((FIRST SAME SECOND) ADJ (NETWORK OR SYSTEM)) (((WAN OR (WIDE ADJ2 NETWORK)) SAME (WLAN OR (WIRELESS ADJ2 LOCAL ADJ2 AREA ADJ2 NETWORK))) (((PUBLIC CELLULAR) ADJ (NETWORK OR CARRIER)) SAME ((PRIVATE CORPORATE ENTERPRISE COMPANY) ADJ2 NETWORK)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:12

S26	27	S23 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:13
S27	635	((((MOBILE TELECOMMUNICATION USER SUBSCRIBER WIRELESS CELL CELLULAR PORTABLE ) ADJ (UNIT APPARATUS DEVICE TELEPHONE PHONE TERMINAL HANDSET STATION)) OR (PDA OR PERSONAL ADJ2 DIGITAL ADJ2 ASSISTANT)) SAME (REFORMAT\$3 RE\$1FORMAT\$3 MODIFY\$3 TRANSLAT\$3) SAME ((DIAL\$3) NEAR6 (DIGIT NUMBER))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:49
S28	87	((((MOBILE TELECOMMUNICATION USER SUBSCRIBER WIRELESS CELL CELLULAR PORTABLE ) ADJ (UNIT APPARATUS DEVICE TELEPHONE PHONE TERMINAL HANDSET STATION)) OR (PDA OR PERSONAL ADJ2 DIGITAL ADJ2 ASSISTANT)) SAME (REFORMAT\$3 RE\$1FORMAT\$3 MODIFY\$3 TRANSLAT\$3) NEAR ((DIAL\$3) NEAR6 (DIGIT NUMBER))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:20
S29	2003	455/417,445,564.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:21
S30	8	S28 AND S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:25
S31	99241	"455"/\$.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:25
S32	30	S31 AND S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:25

S33	22	S32 NOT S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:30
S34	6	(TRANSCIEVER OR (TRANSMITER SAME RECEIVER) OR TRANSMITTER) SAME (USER ADJ INTERFACE OR KEYPAD KEYBOARD (INPUT ADJ UNIT)) SAME (CONTROLLER PROCESSOR CPU) SAME (PLURALITY NEAR NETWORK)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:34
S35	265	(MULTIMODE DUALMODE) ADJ (UNIT TERMINAL DEVICE WIRELESS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:35
S36	289	(MULTIMODE DUALMODE) ADJ (UNIT TERMINAL DEVICE WIRELESS TELEPHONE PHONE)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:38
S37	8	S36 AND ((REFORMAT\$3 FORMAT\$3 MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 NEAR6 NUMBER DIGIT))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:44
S38	2	S36 AND ((REFORMAT\$3 FORMAT\$3 MODIFY\$3 TRANSLAT\$3) WITH (DIAL\$3 NEAR6 NUMBER DIGIT))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:44
S39	0	S36 AND S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:44
S40	0	(PLURALITY NEAR (NETWORK SYSTEM)) SAME ((DIAL\$3 INPUT) NEAR3 (DIGIT NUMBER)) SAME (REFORMAT\$3 MODIFY\$3 TRANSLAT\$3 ALTER\$3) AND (WAN AND wlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:46

S41	100	(PLURALITY NEAR (NETWORK SYSTEM)) SAME ((DIAL\$3 INPUT) NEAR3 (DIGIT NUMBER)) SAME (REFORMAT\$3 MODIFY\$3 TRANSLAT\$3 ALTER\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:47
S42	23	(PLURALITY NEAR NETWORK) SAME ((DIAL\$3 INPUT) NEAR3 (DIGIT NUMBER)) SAME (REFORMAT\$3 MODIFY\$3 TRANSLAT\$3 ALTER\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:47
S43	3041	((MOBILE TELECOMMUNICATION USER SUBSCRIBER WIRELESS CELL CELLULAR PORTABLE ) ADJ (UNIT APPARATUS DEVICE TELEPHONE PHONE TERMINAL HANDSET STATION)) OR (PDA OR PERSONAL ADJ2 DIGITAL ADJ2 ASSISTANT)) AND (PLURALITY ADJ NETWORK)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:50
S44	41	S43 AND (REFORMAT\$3 RE\$1FORMAT\$3 MODIFY\$3 TRANSLAT\$3) WITH ((DIAL\$3 INPUT) ADJ (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:50
S45	41	S43 AND ((REFORMAT\$3 RE\$1FORMAT\$3 MODIFY\$3 TRANSLAT\$3) WITH ((DIAL\$3 INPUT) ADJ (NUMBER DIGITS)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:54
S46	0	((FIRST AND SECOND) ADJ2 NETWORK) WITH ((FIRST AND SECOND) ADJ2 (TRANSCIEVER OR TRANSMITTER)) AND ((REFORMAT\$3 ANALYZ\$3 MODIFY\$3 TRANSLAT\$3) NEAR (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:57
S47	7	((FIRST AND SECOND) ADJ2 NETWORK) WITH ((FIRST AND SECOND) ADJ2 (TRANSCIEVER OR TRANSMITTER)) AND ((REFORMAT\$3 ANALYZ\$3 MODIFY\$3 TRANSLAT\$3) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:59
S48	65	((FIRST AND SECOND) ADJ2 NETWORK) WITH ((TRANSCIEVER OR TRANSMITTER)) AND ((REFORMAT\$3 ANALYZ\$3 MODIFY\$3 TRANSLAT\$3) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:04

S49	365	455/525.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:05
S50	0	S49 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME DIAL\$3 NEAR (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:06
S51	1	S49 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME DIAL\$3 SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:07
S52	3	S49 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:07
S53	194	455/435.2.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:07
S54	5	S53 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:09
S55	358	455/417.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:09
S56	38	S55 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:15



S57	409	455/564.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:15
S58	31	S57 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:44
S59	2	de-4343335-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:44
S60	1320	455/414.1.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:44
S61	74	S60 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:53
S62	1350	455/445.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:53
S63	72	S62 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:57
S64	1599	455/456.1.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:57

S65	38	S64 AND ((REFORMATING REFORMAT MODIFY\$3 TRANSLAT\$3) SAME (DIAL\$3 INPUT) SAME (NUMBER DIGITS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 11:08
-----	----	---	---	----	----	------------------